

Submittal Sheet #1300 Ladder Pintle Eye Wire Reinforcement

Ladder Pintle Eye Wire Reinforcement in 10 ft lengths

Pintle Lengths
// // I little Lerigtils
3-1/4"
4-1/4"
5-1/4"

Ladder Pintle Eye Wire Reinforcement Corners

CMU Size	Stainless	Hotdip
4"	1300C4S	1300C4H
6"	1300C6S	1300C6H
8"	1300C8S	1300C8H
10"	1300C10S	1300C10H
12"	1300C12S	1300C12H

Corners - Quantity in Pieces

Ladder Pintle Eye Wire Tees

CMU Size	Stainless	Hotdip
4"	1300T4S	1300T4H
6"	1300T6S	1300T6H
8"	1300T8S	1300T8H
10"	1300T10S	1300T10H
12"	1300T12S	1300T12H

Tees - Quantity in Pcs

THICKNESS:

QUANTITY (ft):

Wire Size	Side Rods	Cross Rods
Standard	9 ga	9 ga
Heavy Duty	3/16"	9 ga
Extra Heavy Duty	3/16"	3/16"

MATERIAL TYPE:

Type 304 Stainless Steel

Hot-Dip Galvanized

Mill Galvanized

Plain Steel



CLICK OR SCAN FOR MATERIAL SPECIFICATIONS

PROJECT DETAILS:

LOCATION:

PROJECT NAME:

NOTES:

Heckmann is not responsible for your choice of anchors and dimensions for your project. The choice of anchors and products should be decided by the architects or engineers knowledgeable with the project. Once a custom order has been placed it cannot be canceled or returned. Any changes to the original order may require additional charges. Your signature is required for us to proceed. By signing this order, you agree that you have reviewed the details and specifications of the custom order and that said details and specifications are per your request. Further, by signing this order you are waiving any claim against or right of non-payment for products produced to the specifications of the order.

CONTACT INFO

NAME:

COMPANY:

PHONE: ____

E-MAIL: _____

DATE:

Phone: (800) 621-4140

ACCEPTED BY:

REVISED: 10/2022