

269 Wire Mesh Wall Tie

SECTION 04 00 00 MASONRY
Section 04 05 19.16 Masonry Anchors

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-22.

B. ASTM A153/A153M-16 Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware

C. ASTM A1064/A1064M-18a Standard Specification for Carbon-Steel Wire and Welded Wire Reinforcement

D. ASTM A740-98(2014) Standard Specification for Hardware Cloth (Woven or Welded Galvanized Steel Wire Fabric

2.3 MATERIALS

No. 269 WIRE MESH WALL TIE

½" – 16 gage mesh cloth x 4" x 8"

Materials: Hotdip Galvanized After Fabrication

PART 3: EXECUTION

- A. Install as specified in applicable masonry section(s).