

#308 Receptacle Slot Anchor

SECTION 04 00 00 MASONRY Section 04 05 19.16 Masonry Anchors Section 05 12 00 Structural Steel Framing

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-22.

B. ASTM A 36/A36M-14 Standard Specification for Carbon Structural Steel.

C. ASTM A1008/A1008M Sheet Metal Anchors and Ties (Plain Steel)

2.3 MATERIALS

NO. 308 RECEPTACLE SLOT ANCHOR [gage] x [height] x [length (od)] x [bend length (od)] x 1/4" x 5" slot centered in height 1" from end
Materials: Plain Steel

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).