

#354 Neoprene Expansion Joint

SECTION 04 00 00 MASONRY

Section 04 05 23 Masonry Accessories

Section 04 05 23.13 Masonry Control and Expansion Joints

Section 04 21 13.13 Brick Veneer Masonry

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the TMS402/602-22 Building Code Requirements and Specification for Masonry Structures 2022.

B. ASTM D1056-14 Standard Specification for Flexible Cellular Materials –
Sponge or Expanded Rubber

2.3 MATERIALS

No. 354 Neoprene Expansion Joint

Size: [1/4] [3/8"] [1/2] x Width: 3", [with adhesive] [without adhesive]

Materials: Closed Cell Neoprene

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).