

#360 Corrugated Seismic Veneer Anchor

SECTION 04 00 00 MASONRY Section 04 05 19.16 Masonry Anchors

PART 1: GENERAL

1.1 RELATED SECTIONS

- A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

- A. Manufacturer Certificate of Compliance for materials.
- B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

- A. Provide anchoring systems that comply with TMS 402/602-22 Building Code Requirements and Specification for Masonry Structures 2022.
- B. Stainless Steel AISI Type 304.
 - 1) ASTM A240/A240M-24b Standard Specification for Chromium and Chromium Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Applications.
 - 2) ASTM A666/666M-24 Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar.
 - 3) ASTM A276/A276M-24a Standard Specification for Stainless Steel Bars and Shapes.

2.3 MATERIALS

360L-TYPE SEISMIC ANCHOR

[14 gage] x 1-1/4" wide x [Length od [2-1/2"] [3"] [3-1/2"] [4"] [4-1/2"] [5"] [5-1/2"]
[6"] [7"] [8"]]] x 1-1/2" od bend with a centered 5/16" diameter hole

[Seismic notch centered 5/8" from end]

Materials: Type 304 Stainless Steel

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).