

#363 Plastic Seismic Clip

SECTION 04 00 00 MASONRY
Section 04 05 19.16 Masonry Anchors
Section 04 05 19.29 Stone Anchors
Section 04 21 13.13 Brick Veneer Masonry

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with TMS 402/602-22 Building Code Requirements and Specification for Masonry Structures 2022.

B. ASTM D1784-03 Specification for Rigid Poly(Vinyl Chloride)(PVC) Compounds and Chlorinated Poly(Vinyl Chloride)(CPVC)

2.3 MATERIALS

NO. 363 PLASTIC SEISMIC CLIP

Rigid PVC extrusion with snap-in grooves for attaching 3/16" diameter wire veneer anchor to a No. 371 continuous 3/16" or 9ga veneer wire.

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).