

#374 Hairpin Rebar Positioner

SECTION 04 00 00 MASONRY Section 04 05 19.26 Masonry Reinforcing Bars Section 04 05 19.16 Masonry Anchors

PART 1: GENERAL

1.1 RELATED SECTIONS

- A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

- A. Manufacturer Certificate of Compliance for materials.
- B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

- A. Provide anchoring systems that comply with TMS 402/602-22 Building Code Requirements and Specification for Masonry Structures 2022.
- B. Grade 50 spring steel
- C. Zinc Plated to ASTM b-633 SC1

2.3 MATERIALS

NO. 374 HAIRPIN REBAR POSITIONER

[374-SG: 9 gage for #3, #4, and #5 rebar]

[374-LG: 6 gage for #5 and #6 rebar]

Materials: [Grade 50 Spring Steel STM b-633 SC1]

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).