

#419 Pin Type Stabilizing Wall Anchor
#421 Plastic Tube
SECTION 04 00 00 MASONRY
Section 04 05 19.16 Masonry Anchors

PART 1: GENERAL

1.1 RELATED SECTIONS

- A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

- A. Manufacturer Certificate of Compliance for materials.
- B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

- A. Provide anchoring systems that comply with TMS 402/602-22 Building Code Requirements and Specification for Masonry Structures 2022.
- B. ASTM A 36/A36M-14 Standard Specification for Carbon Structural Steel.
- C. ASTM A1008/A1008M-24 Sheet Metal Anchors and Ties (Plain Steel).
- D. ASTM A153/A153M-16a Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware.
- E. ASTM A641/A641M-19 Standard Specification for Zinc-Coated (Galvanized) Carbon Steel Wire (Mill Galvanized)

2.3 MATERIALS

NO. 419 PIN-TYPE STABILIZING WALL ANCHOR

Plate: 3/16" x 1-1/2" wide x 3" long with two 5/16" diameter holes.

Pin: 3/8" diameter x 6-3/4" long

#421 Plastic Tube 7" long plastic tube with compressible filler

Materials: Hotdip Galvanized After Fabrication

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).